CHUTZPAH

简体中文

虎刺帕
焕醒仪



使用说明书

颈戴式低频脉冲设备

HUANXINGYI 06

宁波芯脑健康科技有限公司

www.xn-ai.cn

虎刺帕
焕醒仪



使用说明书 · 简体中文

前言

感谢您选用虎刺帕焕醒仪。使用前请完整阅读本说明书，检查设备是否完好，并妥善保存说明书和购买凭证。

产品配置清单

虎刺帕焕醒仪主机	1 台
赠送凝胶电极	2 套（共 4 个）
磁吸充电线	1 根
使用说明书	1 本

产品介绍与参数

产品简介、原理及组成

虎刺帕焕醒仪通过电极输出低频脉冲，采用颈戴式设计，配有主机、按键、磁吸充电接口及凝胶／金属电极。

适用范围与产品特点

用于日常颈部肌肤护理，支持按键、语音控制及自动运行流程。本品为家用非医疗器械，无诊断、治疗或康复功效，不能替代休息、睡眠或专业诊疗。

产品参数及规格

产品名称	虎刺帕焕醒仪
产品型号	HUANXINGYI 06
额定输入	5 V ⎓ 1 A
电池容量	300 mAh
产品重量	180 g
包装尺寸	169 × 158 × 67 mm
执行标准	GB/T 4706.118-2024

部件说明与佩戴准备

凝胶电极

凝胶电极直接吸附在设备磁吸位置，撕下保护膜，确认与皮肤平稳贴合。可循环使用 10 次（按测试环境测得）；实际使用时关注清洁与贴合情况。关机后可取出单独水洗，干燥后方可使用。

金属电极

金属电极必须搭配导电膏使用，否则会产生轻微刺激感。可重复使用，支持关机后取下单独水洗；干燥后重新涂覆导电膏再用。主机不防水，严禁水洗或浸泡。



使用前准备与佩戴

检查设备完好，清洁并擦干颈部，移开项链、围巾。电极准备后轻柔佩戴，确认贴合、呼吸自如，避免夹痛、勒颈及强行弯折。身体静止后开始使用。

使用操作说明

按键功能



电源与 + 为一体按键：长按 3 秒开机／关机；短按一次增强一级。短按 − 一次降低一级。按自身感受逐步调至舒适档位，勿勉强加档。

首次使用请完整听完开机语音提示；熟悉后可按任意按键打断提示。

语音指令 · 唤醒词“您好小虎”

开启焕醒模式	您好小虎，开启焕醒模式
增强档位	您好小虎，强一点
降低档位	您好小虎，弱一点
关机	您好小虎，关机

运行、充电与保养

2 分钟	2 分钟	2 分钟	3 秒
左侧刺激	中间休息	右侧刺激	结束后关机

完整周期约 6 分钟，刺激结束 3 秒后自动关机。提前结束：长按电源键 3 秒，或说“您好小虎，关机”。

充电电池的使用 · 额定输入 5 V ⎓ 1 A

关机并取下设备，保持主机、接口和线材干燥。用随附磁吸充电线连接匹配额定输入的电源；充电后断开充电线再佩戴。内置电池容量为 300 mAh，禁止自行拆换。

产品清洁及保养

关机后用软布擦拭主机，勿水洗、浸泡或向接口喷液，勿用腐蚀性清洁剂。电极须取下单独水洗并干燥；金属电极再用前涂导电膏。发现受潮、破损或异常发热时停用并联系售后。

注意事项与使用限制

每天最多 2 次

任意 24 小时内不超过 2 次；勿反复开机延长使用。

驾驶时禁止使用，须在静止状态下使用

驾驶、移动、睡眠或洗澡时禁止使用。须在干燥环境中保持清醒、身体静止；完成流程或关机并取下设备后再驾车。疲劳或困倦时应休息。

禁忌与监护

孕妇及哺乳期女性、心脏疾病患者、佩戴心脏起搏器者禁用；颈部皮肤破损、炎症、过敏或有创口时禁用。勿与医疗电子设备同时使用。未成年人须成人全程监护；勿让儿童自行取用。

不适即停，禁止擅自拆修

出现头晕、瘙痒、泛红、疼痛、灼热、明显抽动或其他不适，立即关机并取下，联系售后；原因不明或未消退时勿继续。持续或加重时就医；胸痛、呼吸困难立即求医。不确定能否使用时先咨询医生及售后。禁止擅自拆修或改装。

常见问题、贮运与回收

刺痛、贴合不稳、泛红或勒颈怎么办?

先关机并取下。检查凝胶电极是否已撕膜且干燥，或金属电极是否已涂导电膏，并确认贴合。勒颈时关机后轻柔调整，勿强行弯折、盲目加档或带痛继续。泛红、瘙痒等不适持续或加重时就医。

无法开机或语音无响应怎么办?

确认长按电源键满 3 秒，检查充电和连接。语音指令须使用唤醒词“您好小虎”及完整指令；紧急停止可长按电源键 3 秒。仍无响应或反复故障时联系售后。

产品贮存及运输条件

存放于干燥、通风、清洁处，避开高温、潮湿、直射阳光及腐蚀性气体。运输时妥善包装，防碰撞、挤压和雨雪浸淋，远离儿童可取用处。

产品报废处理

按当地规定回收电子产品和包装，电池交专业机构处理。不要自行拆机、刺穿或投入火中，不要随意丢弃。

质保与售后信息

质保及服务说明

请保留购买凭证，向销售方确认保修期限、服务范围及退换规则。申请售后时提供型号 HUANXINGYI 06、购买信息和问题描述；请勿擅自拆修。

凝胶电极补购

如需购买凝胶电极，请扫描商城二维码；获取二维码或确认适配，请联系售后 15657890865。

生产企业／售后单位

宁波芯脑健康科技有限公司

生产地址：浙江省宁波市鄞州区江南路1558号浙大科技园9088

售后服务：15657890865 · www.xn-ai.cn

购买日期 _____ 订单号 _____

产品合格证

出厂检验记录 · 由检验人员填写

产品名称	虎刺帕焕醒仪
产品型号	HUANXINGYI 06
执行标准	GB/T 4706.118-2024
批次／编号	
生产日期	
检验日期	
检验员	
检验结论	☐ 合格

检验章

生产企业：宁波芯脑健康科技有限公司

完成检验并填写、签章后随产品出厂。

保修卡

请妥善保存本卡及购买凭证

产品名称	虎刺帕焕醒仪		
产品型号	HUANXINGYI 06		
用户姓名		联系电话	
购买日期		订单号	
销售单位			
保修期限	个月（销售方填写）		

保修及送修说明

申请售后时请提供购买信息、购买凭证和故障描述。
保修期限、服务范围按销售方书面承诺及适用规定执行。
请先联系售后办理送修，勿擅自拆修或改装。

售后服务：15657890865 · www.xn-ai.cn

CHUTZPAH

虎刺帕焕醒仪

HUANXINGYI 06



服务与支持

15657890865

www.xn-ai.cn

宁波芯脑健康科技有限公司

请妥善保存本说明书、合格证、保修卡及购买凭证。

申请售后时，请提供产品型号、购买信息和问题描述。

扫描二维码
查看使用教程和设备介绍

CHUTZPAH
HUANXINGYI

USER MANUAL

NECK-WORN
LOW-FREQUENCY PULSE DEVICE



HUANXINGYI 06

Ningbo Xinnao Health Technology Co., Ltd.

www.xn-ai.cn

CHUTZPAH HUANXINGYI



USER MANUAL · ENGLISH

Welcome

Thank you for choosing our device. Before use, read this manual and check the unit. Keep the manual and proof of purchase.

In the box

Main unit	1
Complimentary gel electrodes	2 sets / 4 pieces
Magnetic charging cable	1
User manual	1

Product overview & specifications

Overview, principle & parts

A neck-worn low-frequency pulse device with a main unit, buttons, magnetic charging contacts and gel / metal electrodes.

Intended use & features

Everyday neck skin care with button / voice controls and an automatic routine. Not a medical device; cannot replace rest, sleep or medical care.

Product specifications

Product name	CHUTZPAH HUANXINGYI
Model	HUANXINGYI 06
Rated input	5 V ⎓ 1 A
Battery capacity	300 mAh
Product weight	180 g
Package size	169 × 158 × 67 mm
Standard	GB/T 4706.118-2024

Electrodes & preparation

Gel electrodes

Attach gel electrodes to the device’s magnetic positions. Peel the film and ensure stable skin contact. Reusable for 10 uses under test conditions; check cleanliness and contact in actual use. Turn off, remove and wash separately. Use only when dry.

Metal electrodes

Metal electrodes require conductive gel; without it, slight irritation may occur. They are reusable: turn off, remove and wash separately, dry, then reapply conductive gel. Never rinse or immerse the main unit.



Prepare & fit gently

Check the device. Clean and dry the neck; remove necklaces / scarves. Fit gently for skin contact and easy breathing. Avoid pinching, tightness or forced bending. Stay still.

Operating instructions

Button functions



Power and + share one button: hold 3 seconds to turn on / off; press once to increase one level. Press − once to decrease one level. Adjust gradually to a comfortable level.

First use: listen to the full startup prompt. Later, any button skips it.

Voice commands · Chinese phrases

Speak the Chinese phrases below; English labels show their meanings.

Start Huanxing mode	您好小虎，开启焕醒模式
Increase intensity	您好小虎，强一点
Decrease intensity	您好小虎，弱一点
Turn off	您好小虎，关机

Routine, charging & cleaning

2 min	2 min	2 min	3 sec
Left stimulation	Rest	Right stimulation	Auto-off

A full cycle takes about 6 minutes, then auto-off after 3 seconds.
Stop early: hold power 3 seconds or say “您好小虎，关机”.

Battery charging · rated input

5 V ⎓ 1 A

Turn off and remove. Keep the unit, contacts and cable dry. Use the supplied magnetic cable with a matching power source. Disconnect before wearing. Built-in battery: 300 mAh; do not replace it yourself.

Cleaning & maintenance

While off, wipe the unit with a soft cloth; never rinse, immerse, spray contacts or use corrosive cleaners. Wash removed electrodes; dry and re-gel metal ones. Stop for damage, damp or abnormal heat; call service.

Precautions & use limits

MAXIMUM 2 USES PER DAY

No more than 2 in any 24 hours. Do not restart to extend use.

Never use while driving; stay still

No driving, moving, sleeping or bathing. Stay awake and still in a dry setting. Finish or turn off and remove before driving. Rest if tired or sleepy.

Contraindications & supervision

Do not use if pregnant or breastfeeding, with heart disease / a pacemaker, on damaged, inflamed, allergic or wounded neck skin, or with medical electronics. Minors need constant adult supervision; keep out of reach.

Stop for discomfort; do not dismantle

Stop and remove for dizziness, itching, rash, pain, burning, twitching or discomfort. Contact service; resume once resolved and the cause is clear. Seek care if persistent or worse; urgent help for chest pain / breathing difficulty. If unsure, ask a clinician / service. Do not dismantle / modify.

Questions, storage & recycling

Tingling, poor contact, rash or tightness?

Stop and remove. Check peeled, dry gel electrodes or conductive gel on metal electrodes, and skin contact. Adjust a tight fit while off; never bend forcibly or increase blindly. Seek care if symptoms persist or worsen.

Will not turn on / voice not recognised?

Hold power 3 seconds; check charging / connections. Check the Chinese phrase on page 04. Contact service if unresponsive or faults recur.

Storage & transport

Store dry, clean and ventilated, away from heat, damp, sun, corrosive gases and children. Protect from impact, crushing, rain and snow.

End-of-life disposal

Recycle electronics and packaging under local rules; use a professional battery recycler. Do not open, puncture, burn or discard carelessly.

Warranty & service

Warranty & service terms

Keep proof of purchase; confirm warranty, coverage and returns with the seller. For support, provide HUANXINGYI 06, purchase details and the issue.

Gel electrode replacements

Scan the store QR code to buy gel electrodes. Contact +86 15657890865 to obtain the QR code or confirm compatibility.

Manufacturer / after-sales service provider

Ningbo Xinnao Health Technology Co., Ltd.

Manufacturing address: Room 9088, Zhejiang University Science Park, No. 1558 Jiangnan Road, Yinzhou District, Ningbo, Zhejiang, China

Service: +86 15657890865 | www.xn-ai.cn

Purchase date _____ Order no. _____

Product Inspection Certificate

Factory inspection record - completed by quality control

Product	CHUTZPAH HUANXINGYI
Model	HUANXINGYI 06
Standard	GB/T 4706.118-2024
Batch / unit no.	
Production date	
Inspection date	
Inspector	
Result	☐ PASS

QC stamp

Manufacturer: Ningbo Xinnao Health Technology Co., Ltd.

Complete and sign / stamp this record after inspection, before release.

Warranty Card

Keep this card together with your proof of purchase

Product	CHUTZPAH HUANXINGYI		
Model	HUANXINGYI 06		
Name		Phone	
Bought on		Order no.	
Seller			
Term		months (completed by seller)	

Warranty and service

Provide purchase details, proof of purchase and a fault description.
The seller's written warranty and applicable law determine coverage.
Contact service before return. Do not disassemble or modify the device.

Service: +86 15657890865 | www.xn-ai.cn

CHUTZPAH

CHUTZPAH HUANXINGYI

HUANXINGYI 06



SERVICE & SUPPORT

+86 15657890865

www.xn-ai.cn

Ningbo Xinnao Health Technology Co., Ltd.

Scan for tutorials and a device overview

Keep the manual, inspection certificate, warranty card and proof of purchase.

For service, provide the model, purchase details and a description of the issue.